

Notice of Allowability

Application No.

10/632,259

Examiner

RAMON O. RAMIREZ

Applicant(s)

VAN HOUT ET AL.

Art Unit

3632

NW

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed June 28, 2004.
2. ☒ The allowed claim(s) is/are 2,3,5-11 and 14.
3. ☒ The drawings filed on 6/28/04 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____ |

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Edwin W. Bacon on September 7, 2004.

The application has been amended as follows:

in claim 5, line 13, "being adapted to receive" has been changed to - - having at least one spacer - -, and "for adapting the retention" has been changed to - - received therein - -;

in line 14, "system to be used with" has been changed to - - for use when the retention system is used with - -, and after "configuration" - - and whereby the spacer may be removed when used with the battery having the first configuration - - has been inserted;

in claim 14, line 4, after "configuration" - - and on an upper surface of a battery having a second configuration - - has being inserted, after "being" - - formed with integral longitudinal ribs for distributing force to sidewalls of the battery and - - has being inserted,

in line 6, ";" has been changed to - - , said top mount retainer further comprising a well on an upper surface thereof for receiving a rod, the well having at least one spacer received therein for use when the retention is used with the battery having the second

Art Unit: 3632

configuration and whereby the spacer may be removed when used with the battery having the first configuration; - - has been inserted; and


in line 7, "a U-shaped rod" has been changed to - - wherein said rod is U-shaped and - - .

Any inquiry concerning this communication or earlier communications from the examiner should be directed to RAMON O. RAMIREZ whose telephone number is (703) 308-0748. The examiner can normally be reached on MONDAY-FRIDAY, IST FRIDAY OFF.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, LESLIE BRAUN can be reached on (703) 308-2156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3632

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


RAMON O. RAMIREZ
Primary Examiner
Art Unit 3632

ROR
September 7, 2004